Wetlands Bureau Decision Report

Revnet 2 1/13/14

Decisions Taken 01/06/2014 to 01/12/2014

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

- I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:
 - 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
 - 2) provide new evidence or information to support the requested action;
 - 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
 - 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.
- II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:
 - 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
 - 2) contain a detailed description of the land involved in the department's decision; and
 - 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2013-02111

BELL, THOMAS

WOLFEBORO Lake Winnipesaukee

Requested Action:

Permanently remove the existing 738 sq. ft. 3-slip boathouse over public waters and restore the shoreline to natural conditions, dredge 8 cu. yd. from 177 sq. ft. of lakebed and excavate 1,935 sq ft. impacting 28 linear ft. of the bank to construct a 900 sq. ft. 2-slip dug-in boathouse and 1,035 sq. ft. boat basin and access channel, install a 6 ft. x 40 ft. seasonal dock, and construct a 370 sq. ft. perched beach on 1,287 ft. of frontage on Littlest Mud Island, Lake Winnipesaukee, in Wolfeboro. ************

2

Conservation Commission/Staff Comments:

9/10/13 Con. Com. does not recommend approval of this application.

APPROVE PERMIT:

Permanently remove the existing 738 sq. ft. 3-slip boathouse over public waters and restore the shoreline to natural conditions, dredge 8 cu. yd. from 177 sq. ft. of lakebed and excavate 1,935 sq ft. impacting 28 linear ft. of the bank to construct a 900 sq. ft. 2-slip dug-in boathouse and 1,035 sq. ft. boat basin and access channel, install a 6 ft. x 40 ft. seasonal dock, and construct a 370 sq. ft. perched beach on 1,287 ft. of frontage on Littlest Mud Island, Lake Winnipesaukee, in Wolfeboro.

- 1. All work shall be in accordance with plans by Folsom Design Group revision dated November 25, 2013, as received by the NH Department of Environmental Services (DES) on November 25, 2013, and plans by North Country CAD revision dated November 15, 2013, as received by the NH Department of Environmental Services (DES) on November 25, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 3. The existing boathouse shall be completely removed and the affected shoreline shall be restabilized prior to the construction of the new dug-in boathouse.
- 4. The owner shall file a restrictive covenant in the appropriate registry of deeds limiting the use of the boathouse to the storage of boats and boating-related accessories. A copy of the recorded covenant shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
- 5. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 6. The boathouse shall be a single-story structure; ridgeline not to exceed 20 ft in height (Elev. 524.32) above normal high water (Elev. 504.32).
- 7. Dewatering of work areas and dredged materials shall be discharged to sediment basins located in uplands and lined with hay bales or other acceptable sediment trapping liner.
- 8. All dredged and excavated material and construction related debris shall be placed outside of the areas under the jurisdiction of the DES Wetlands Bureau. No dredged material shall be disposed of on the island.
- 9. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
- 10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
- 11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 12. This facility is permitted with the condition that future maintenance dredging, if needed, shall not be permitted more frequently than once every 6 years, and that a new permit shall be required for each dredge activity.
- 13. The owner understands and accepts the risk that if this facility requires dredging to maintain a minimum slip depth of 2 feet,

more frequently than once every 6 years, or is shown to have an adverse impact on abutting frontages, it shall be subject to removal.

3

- 14. The seasonal pier shall be removed from the lake for the non-boating season.
- 15. No portion of the seasonal pier shall extend more than 40 feet from the shoreline at full lake elevation.
- 16. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This project is classified as a major project per Rule Env-Wt 303.02(d), construction of docking facilities that provide 5 or more boat slips.
- 2. The applicant is the sole owner of Littlest Mud Island.
- 3 The Wolfeboro Conservation Commission expressed concerns about the appropriateness of the site selected and the level of impact associated with the construction of the dug-in boathouse.
- 4. The Department's review of the plans and material submitted found that the site selected for the proposed boathouse was no less appropriate than any other possible site on Littlest mud island.
- 5. The proposed dug-in boathouse will have a lesser long-term impact on the public trust that the continued maintenance of the existing boathouse located over public submerged lands.
- 6. The proposed project removes approximately 738 sq. ft. of existing boathouse and docking structure from over public submerged lands and provides a new 2 slip boathouse located within the land of the applicant.
- 7. The proposed boathouse provides a small loft area for storage of boating related materials, this loft is smaller than the loft provided in the existing boathouse, and does not provide sufficient room for an average person to stand up in.
- 8. The applicant has an average of 1,287 feet of shoreline frontage along Lake Winnipesaukee.
- 9. A maximum of 18 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 10. The proposed docking facilities will provide 8 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
- 11. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake Winnipesaukee.
- -Send to Governor and Executive Council-

2013-02919

SPRAGUE OPERATING RESOURCES LLC

NEWINGTON Piscatagua River

Requested Action:

Impact a total of 2,400 square feet of shoreline and surface water of the Piscataqua River to replace an existing industrial access trestle pier within the same footprint and stabilize the shoreline with riprap including the following: a) impact 39 sq. ft. for the removal and replacement of the pier pilings and b) impact 2,361 sq. ft. (65 linear feet) to stabilize the shoreline with riprap.

Conservation Commission/Staff Comments:

11/13/13 Per DHR no historic properties affected.

Inspection Date: 01/10/2014 by David A Price

APPROVE PERMIT:

Impact a total of 2,400 square feet of shoreline and surface water of the Piscataqua River to replace an existing industrial access trestle pier within the same footprint and stabilize the shoreline with riprap including the following: a) impact 39 sq. ft. for the removal and replacement of the pier pilings and b) impact 2,361 sq. ft. (65 linear feet) to stabilize the shoreline with riprap.

With Conditions:

1. All work shall be in accordance with plans by Appledore Marine Engineering dated October 2013, as received by the NH Department of Environmental Services (DES) on December 5, 2013.

- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new
- 3. This permit does not allow dredging for any purpose.

application and further permitting by the Bureau.

4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.

4

- 5. Work shall be done during low tide.
- 6. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
- 7. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.
- 8. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 9. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.

Faulty equipment shall be repaired prior to entering jurisdictional areas.

- 10. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
- 11. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

- 1. This is a major impact project per Administrative Rule Env-Wt 303.02(a), projects in tidal wetlands.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The industrial access trestle pier, which supports several product off-load pipelines, is severely deteriorated and needs to be replaced. Further, the shoreline is eroding where the pier structure meets the shoreline and needs to be stabilized
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The pier will be replaced within the same footprint and will reduce the number of pilings needed from the existing 39 H-pilings to 28 new steel pilings. The rip rap is proposed to run with the contour of the existing slope and blend into the river bottom without extending out further than necessary to withstand the tidal power of the Piscataqua River.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project. No species of concern were reported for the project vicinity by the NH Natural Heritage Bureau.
- 5. Compensatory mitigation is not required for this project, pursuant to Env-Wt 303.03(c)(2)c., as the project is to protect existing infrastructure including marine vessel access at an existing oil tank farm facility important to the public interest.
- 6. The Newington Conservation Commission recommends approval of the project.
- 7. DES conducted a field inspection of the project site on January 10, 2014, and found that the site conditions are accurately represented in the file.
- 8. In accordance with RSA 428-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the tidal resource, as identified under RSA 482-A:1.

α 1			1	T		\sim	• •
-Sena	TO I	Governor	and	HVECI	ITIVE	('Alln	C1!-

MINOR IMPACT PROJECT

01/13/2014

2013-01950

SHATTUCK, STEVEN

LITTLETON Unnamed Wetland

Requested Action:

Dredge and fill 6,630 square feet of wetlands for access to a single family home.

APPROVE PERMIT:

Dredge and fill 6,630 square feet of wetlands for access to a single family home.

With Conditions:

1. All work shall be in accordance with the plans by Horizons Engineering Inc. entitled Stephen Shattuck: Site Development & Permitting Assistance as revised through 12/09 and received by the Department on December 20, 2013.

5

- 2. This permit is contingent upon the restoration of 94,703 square feet of wetlands and stream channel in accordance with the restoration plan as received by the Department on August 23, 2013 and approved under the Restoration Plan Approval dated September 30, 2013.
- 3. This permit is contingent on approval by the DES Alteration of Terrain Program.
- 4. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 5. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 6. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
- 7. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
- 8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 9. The culvert shall be laid at original grade.
- 10. Proper headwalls shall be constructed within seven days of culvert installation.
- 11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 12. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 13. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 14. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 15. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

- 1. This is a minor project per Administrative Rule Env-Wt 303.03(h) Projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands, nontidal surface waters, or banks adjacent to nontidal surface waters which exceed the criteria of Env-Wt 303.04(f).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The wetlands were previously disturbed, during logging and land clearing operations, without a wetlands permit.
- 6. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program, the Natural Heritage Bureau or the Conservation Commission.

2013-02215

DOWD, LAURA/RICK

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Repair approximately 65 linear feet of retaining wall on Lake Winnipesaukee, Moultonborough.

Conservation Commission/Staff Comments:

Con Com signed Wet application

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Repair approximately 65 linear feet of retaining wall on Lake Winnipesaukee, Moultonborough.

With Findings:

- 1. A request for additional information dated September 10, 2013, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
- 2. Pursuant to RSA 482-A:3, XIV(a) (2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.

6

3. DES did not receive the requested additional information within the 60 days and therefore the application has been denied.

2013-02582

NH DEPT OF TRANSPORTATION

DERRY Unnamed Wetland

Requested Action:

Improve intersection by adding left turn lanes on Rte 28; improve drainage and access impacting 15,778 sq. ft. (6,013 sq. ft. temporary) of palustrine wetlands.

Conservation Commission/Staff Comments:

Cons. Comm. - no comments

APPROVE PERMIT:

Improve intersection by adding left turn lanes on Rte 28; improve drainage and access impacting 15,778 sq. ft. (6,013 sq. ft. temporary) of palustrine wetlands. NHDOT project #15690

- 1. All work shall be in accordance with plans by NHDOT Bureau of Highway Design dated 8/20/2013, as received by the Department on Sept. 19, 2013.
- 2. A notice indicating the start of construction shall be sent to the file at least 48 hours prior to the start of the work.
- 3. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
- 4. Construction equipment shall not be located within surface waters.
- 5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
- 7. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
- 8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be

stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.

9. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

7

- 10. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
- 11. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
- 12. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
- 13. The impacts associated with the temporary work shall be restored immediately following construction.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), alteration of less than 20,000 sq. ft. of non-tidal wetlands.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The project was coordinated and discussed the Dec. 10, 2009 and June 16, 2010 monthly Natural Resource Agency meetings held at the NH Dept. of Transportation.

2013-02684

SMALL JR, ELLIOTT/WENDY

MOULTONBOROUGH Kanasatka Lake

Requested Action:

Permanently remove an existing seasonal docking structure, install a new 4 ft. x 30 ft. seasonal dock, remove 50 linear ft. of existing retaining wall, and construct 37 linear ft. of new retaining wall with 6 ft. wide access steps to the water on an average of 121 ft. of frontage along Lake Kanasatka, in Moultonborough.

Conservation Commission/Staff Comments:

Conservation Commission has recommendations/concerns - see file.

APPROVE PERMIT:

Permanently remove an existing seasonal docking structure, install a new 4 ft. x 30 ft. seasonal dock, remove 50 linear ft. of existing retaining wall, and construct 37 linear ft. of new retaining wall with 6 ft. wide access steps to the water on an average of 121 ft. of frontage along Lake Kanasatka, in Moultonborough.

- 1. All work shall be in accordance with plans by Joanne Coppinger revision dated November 25, 2013, as received by the NH Department of Environmental Services (DES) on December 19, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
- 3. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. The new retaining wall shall be constructed landward of the shoreline defined by the elevation of normal high water so as not to create land in public water.
- 5. The quantity of sand to be used shall be limited to the minimum necessary to backfill the void resulting from removal of the wall. No sand shall be placed below elevation 515 (below full lake elevation).
- 6. This shall be the only structure on this water frontage and all portions of the docking structure shall be at least 20 ft. from abutting

property lines or the imaginary extension of those lines into the water.

- 7. The seasonal pier shall be removed from the lake for the non-boating season.
- 8. No portion of the pier shall extend more than 30 feet from the shoreline at full lake elevation.
- 9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

8

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03, (k), projects that disturb between 50 and 200 linear feet measured along the shoreline of a lake.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The revised plan indicates no impacts to the boulders along the shoreline, therefore addressing the local Conservation Commission's concerns.

MINIMUM IMPACT PROJECT

2012-03295

STOWELL, DWIGHT

SUNAPEE Sunapee Lake

Requested Action:

Install a 9 ft. 8 in. x 30 ft. seasonal canopy between two existing docks, on an average of 30 feet of shoreline frontage, Lake Sunapee, Sunapee.

Conservation Commission/Staff Comments:

Con Com did not sign Wet application

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Install a 9 ft. 8 in. x 30 ft. seasonal canopy between two existing docks, on an average of 30 feet of shoreline frontage, Lake Sunapee, Sunapee.

With Findings:

- 1. A request for additional information dated May 16, 2013, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
- 2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
- 3. DES did not receive the requested additional information within the 60 days and therefore the application has been denied.

2013-02306

JODI S STEWART REVOCABLE TRUST

LACONIA Winnisquam Lake

Requested Action:

Replace the foundation of an existing 15 ft. 4 in. x 25 ft. 3 in. boathouse with no change in location, configuration, or dimensions

proposed, with no work to the existing 6 ft. x 32 ft. seasonal dock or eight sided sundeck, Lake Winnisquam, Laconia. **************

9

APPROVE PERMIT:

Replace the foundation of an existing 15 ft. 4 in. x 25 ft. 3 in. boathouse with no change in location, configuration, or dimensions proposed, with no work to the existing 6 ft. x 32 ft. seasonal dock or eight sided sundeck, Lake Winnisquam, Laconia.

With Conditions:

- 1. All work shall be in accordance with plans dated December 11, 2013, as received by the NH Department of Environmental Services (DES) on December 18, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
- 3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
- 4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
- 5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
- 7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
- 9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2013-03284

NH FISH & GAME DEPARTMENT

GREENLAND Great Bay (western)

Requested Action:

Restoration of a degraded historic native oyster reef in Western Great Bay by placing 1,000 cubic yards of seasoned shell material across a 250 ft. x 1,600 ft. (400,000 sq. ft.) area to provide a substrate for live oyster seed to be sown and reestablish a viable living ovster reef. ***********

Conservation Commission/Staff Comments:

The Greenland Conservation Commission has no objection to permitting the proposed work.

DHR ~ No known historic resources.

APPROVE PERMIT:

Restoration of a degraded historic native oyster reef in Western Great Bay by placing 1,000 cubic yards of seasoned shell material across a 250 ft. x 1,600 ft. (400,000 sq. ft.) area to provide a substrate for live oyster seed to be sown and reestablish a viable living oyster reef.

With Conditions:

1. All work shall be in accordance with plans by Ray Konisky / The Nature Conservancy dated December 2, 2013, as received by the NH Department of Environmental Services (DES) on December 09, 2013.

- 2. Any future work in or adjacent to this project location that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and/or approval by the Bureau.

3. NH DES Wetlands Bureau Southeast Region staff and the Greenland Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(t), Restoration of altered or degraded wetlands provided the project receives financial support and direct supervision of a New Hampshire state agency and (in this case) the US Army Corps of Engineers.
- 2. The oyster reef to be restored is in an area closed to harvest and is needed to recover lost filtration and habitat services of oysters in the Great Bay Estuary.
- 3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2013-03357

SCHOLL, ERIC

NEWBURY Sunapee Lake

Requested Action:

Permanently remove an existing 5 ft. x 16 ft. seasonal dock and install a 6 ft. x 28 ft. seasonal dock in the same location with no modifications to the shoreline, on an average of 171 feet of shoreline frontage, Lake Sunapee, Newbury.

Conservation Commission/Staff Comments:

Con Com signed Wet appliction

APPROVE PERMIT:

Permanently remove an existing 5 ft. x 16 ft. seasonal dock and install a 6 ft. x 28 ft. seasonal dock in the same location with no modifications to the shoreline, on an average of 171 feet of shoreline frontage, Lake Sunapee, Newbury.

With Conditions:

- 1. All work shall be in accordance with plans by Dick Butterfield dated November 2013, as received by the NH Department of Environmental Services (DES) on December 18, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
- 3. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
- 4. Seasonal pier shall be removed from the lake for the non-boating season.
- 5. No portion of the pier shall extend more than 28 feet from the shoreline at full lake elevation.
- 6. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
- 7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 (a) Construction or modification of a seasonal pier or wharf if no more than 2 slips, including previously existing slips, are proposed, and all criteria of Env-Wt 402 are met.

FORESTRY NOTIFICATION

2013-03340

YANKEE FOREST LLC

MILAN Unnamed Stream

COMPLETE NOTIFICATION:

Milan, Tax Map #42, Lot #2, Parcel J

2013-03409

SCHREIER, GARY/SUSAN

CHICHESTER Unnamed Stream

COMPLETE NOTIFICATION:

Chichester, Tax Map #10, Lot #10, 10-2, 22A

2013-03411

JH TREEHOUSE

GROTON Unnamed Stream

COMPLETE NOTIFICATION:

Groton, Tax Map/Lot: 2/81, 3/2, 3/4, 3/5, 3/10, 3/11, 3/18

2013-03414

GOULD, ELIZABETH

HANOVER Unnamed Stream

COMPLETE NOTIFICATION:

Hanover, Tax Map #12, Lot #10

2013-03419

GREGORY, CAROL

CONWAY Unnamed Stream

COMPLETE NOTIFICATION:

Conway, Tax Map #295, Lot #3

2013-03435

FLOYD, ROBERT

TAMWORTH Unnamed Stream

COMPLETE NOTIFICATION:

Tamworth, Tax Map #420, Lot #7 & 9

2014-00019

COLLARD, MARCEL

HANCOCK Unnamed Stream

COMPLETE NOTIFICATION:

Hancock, Tax Map #5, Lot #30 & 32

2014-00023

HEALY, NICKOLAS

STODDARD Unnamed Stream

COMPLETE NOTIFICATION:

Stoddard, Tax Map #418, Lot #5

2014-00024

KONAIRES, HARRY

CLARKSVILLE Unnamed Stream

COMPLETE NOTIFICATION:

Clarksville, Tax Map #R5, Lot #2

2014-00042

KENNEY III, HARRY

MARLBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:

Marlborough, Tax Map #2, Lot #39

2014-00043

WOLTER, JOAN

PIKE Unnamed Stream

COMPLETE NOTIFICATION:

Pike, Tax Map #421, Lot #24 & 11

2014-00044

COLAO, WILLIAM

CANAAN Unnamed Stream

COMPLETE NOTIFICATION:

Canaan, Tax Map #3, Lot #59

2014-00055

COYMAN, TERRANCE

BELMONT Unnamed Stream

COMPLETE NOTIFICATION:

Belmont, Tax Map #236, Lot #26

2014-00074

UNDER THE MOUNTAIN LLC

LYMAN Unnamed Stream

COMPLETE NOTIFICATION:

Lyman, Tax Map #223, Lot #1

EXPEDITED MINIMUM

2013-03326

PERKINS, ALAN/DONNA

NORTH HAMPTON Little River

Requested Action:

Impact a total of 7,190 sq. ft. (510 sf permanent & 6,680 sf temporary construction impacts) in the previously developed upland tidal buffer zone for work associated with the removal & replacement of the existing septic system and gravel driveway.

13

Conservation Commission/Staff Comments:

The North Hampton Conservation Commission has no objections to permitting the proposed work.

APPROVE PERMIT:

Impact a total of 7,190 sq. ft. (510 sf permanent & 6,680 sf temporary construction impacts) in the previously developed upland tidal buffer zone for work associated with the removal & replacement of the existing septic system and gravel driveway.

With Conditions:

- 1. All work shall be in accordance with plans by Civilworks dated 3-20-13, as received by the NH Department of Environmental Services (DES) on December 13, 2013.
- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
- 3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 4. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
- 5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

GOLD DREDGE

2014-00060

CAMPBELL, ALAN

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:

2014-00063

cc Bath ConCom

LASHWAY, DAVID

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath ConCom

2014-00064

JEWELL, JOHN

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath ConCom

2014-00087

FRENETTE, ARTHUR

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath Con Com

TR	A	H	2	N	O	T	\mathbf{R}	C	A	TI	n	N	
T 7.	. .		IN.	1.4	v		LL'I		. .		v	ч.	Į

2013-03332

NAPSEY, BRUCE

PITTSBURG Unnamed Stream

COMPLETE NOTIFICATION:

Trails: Four culverts, Pittsburg, Tax Map B4/Lot 209A and Tax Map B4/Lot 524. Trail #142

LAKES-SEASONAL DOCK NOTIF

2013-03433

CZARNECKI, JAMES

EAST WAKEFIELD Pine River Pond

Requested Action:

Install a seasonal dock.

DISQUALIFY TRAIL/FORESTRY/DOCK NOTIFICTN:

01/06/2014 to 01/12/2014

Install a seasonal dock.

With Findings:

The frontage has an existing dock and boathouse.

2014-00022

SMITH, ROYAL

NEW DURHAM Merrymeeting Lake

Requested Action:

Installation of seasonal docking structure.

COMPLETE NOTIFICATION:

Installation of seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

2014-00046

NH DEPARTMENT OF TRANSPORTATION

CARROLL Unnamed Stream

COMPLETE NOTIFICATION:

Replace culverts at 6 locations.

2014-00047

NH DEPARTMENT OF TRANSPORTATION

JEFFERSON Unnamed Stream

COMPLETE NOTIFICATION:

Replace culverts at 3 locations.

2014-00057

NH DEPT OF TRANSPORTATION

OSSIPEE Unnamed Stream

COMPLETE NOTIFICATION:

Replace 42" by 40' CMP with a 48" by 60' on a skew to line up the channel.

PERMIT BY NOTIFICATION

2009-00674

PIER 19 CONDOMINIUM ASSCOIATION, JAMES PILLOW

TUFTONBORO Lake Winnipesaukee

	ed Action:	Requested
--	------------	-----------

Request permit time extension.

Conservation Commission/Staff Comments:

Con Com signed PBN form on April 17, 2009

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.

16

2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2013-02544

RICHARDSON BROOK PND ASSOC, JEFF DWYER

LEMPSTER Richardson Brook Pond

Requested Action:

Install a dry hydrant.

PBN DISQUALIFIED:

Install a dry hydrant.

With Findings:

- 1. The plan submitted indicates the proposed installation will impact approximately 1700 sq. ft. of bank and bed.
- 2. Pursuant to Rule Env-Wt 506.01(a)(6) Projects Qualifying for Permit by Notification, The excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed.
- 3. The proposed project exceeds the requirements for the Permit By Notification process.

2013-03178

LAPPIN, ROBERT

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Repair of existing docking structures with no change in size, location or configuration on Lake Winnipesaukee in accordance with plans dated December 09, 2013.

Conservation Commission/Staff Comments:

11/26/13 Con. Com. remarked that some of the repairs to the underwater boathouse support pilings will need to be done below the normal water line and, as such, perhaps a standard dredge & fill application should be used by the agent.

PBN IS COMPLETE:

Repair of existing docking structures with no change in size, location or configuration on Lake Winnipesaukee in accordance with plans dated December 09, 2013.

2013-03432

HEMINGWAY, RUSS/LINDA

LOUDON Unnamed Pond

Requested Action:

Excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed, for installation of a dry hydrant.

17

PBN IS COMPLETE:

Excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed, for installation of a dry hydrant.

CSPA PERMIT

2012-02353

PANILAITIS, SUSAN

WEBSTER Lake Winnepocket

Requested Action:

Amendment Description: Increase sq ft of walkways, retaining wall, and area of impact.

APPROVE AMENDMENT:

Impact 16,636 sq. ft. in order to replace existing cottage, construct new septic system, garage, walkways, and retaining wall.

With Conditions:

- 1. All work shall be in accordance with revised plans by Moser Engineering dated September 20, 2013 and received by the NH Department of Environmental Services (DES) on December 26, 2013
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 22.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. Within the woodland buffer 350 sq ft will revert back to an unaltered state.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wg 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03268

LAURA E AVERILL REVOCABLE TRUST

BARNSTEAD Upper Suncook Lake

Requested Action:

Impact 2,399 sq. ft. within the protected shoreland to remove and replace an existing residence and add a walkway on Upper Suncook Lake, in Barnstead.

APPROVE PERMIT:

Impact 2,399 sq. ft. within the protected shoreland to remove and replace an existing residence and add a walkway on Upper

With Conditions:

Suncook Lake, in Barnstead.

1. All work shall be in accordance with plans by Steven J Smith and Associates Inc dated December 2013, as received by the NH Department of Environmental Services (DES) on December 06, 2013.

18

- 2. The replacement structure shall remain an seasonal structure.
- 3. Any modifications to the structure to a year round residence will be contingent on approval by the DES Subsurface Systems Bureau.
- 4. No more than 18.89% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 5. At least 284 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2013-03281

LYDECKER, KEN

BARTLETT Saco River (east Branch)

Requested Action:

Impact 2683 sq. ft. to construct an addition to an existing residence adjacent to the East Branch Saco River, in Bartlett.

APPROVE PERMIT:

Impact 2683 sq. ft. to construct an addition to an existing residence adjacent to the East Branch Saco River, in Bartlett.

- 1. All work shall be in accordance with plans by Thaddeaus Thorne as received by the NH Department of Environmental Services (DES) on January 07, 2014.
- 2. No more than 23.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 945 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2013-03294

CAREY, FRANK/MARCIA

NOTTINGHAM Pawtuckaway Lake

Requested Action:

Impact 8,945 sq ft in order to remove existing structure, accessory structure, gravel area, and rebuild a new dwelling with septic system.

19

APPROVE PERMIT:

Impact 8,945 sq ft in order to remove existing structure, accessory structure, gravel area, and rebuild a new dwelling with septic system

With Conditions:

- 1. All work shall be in accordance with plans by Landry Surveying, LLC dated December 5, 2013 and received by the NH Department of Environmental Services (DES) on December 16, 2013.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 11.33% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 4,535 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03307

DEMILT, RONALD/ZORIANNA

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Impact 25,000 sq ft in order to remove existing 3 bedroom home, rebuild a new 4 bedroom home, replace septic system, and install a stormwater infiltration system.

APPROVE PERMIT:

Impact 25,000 sq ft in order to remove existing 3 bedroom home, rebuild a new 4 bedroom home, replace septic system, and install a stormwater infiltration system.

- 1. All work shall be in accordance with plans by William J. McNair dated November 1, 2013 and received by the NH Department of Environmental Services (DES) on December 11, 2013.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 14.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 6,128 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the

site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

20

- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wg 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03308

BELMONT, TOWN OF

BELMONT Winnisquam Lake

Requested Action:

Impact 77,500 sq ft in order to construct a public multi-use trail.

APPROVE PERMIT:

Impact 77,500 sq ft in order to construct a public multi-use trail.

With Conditions:

- 1. All work shall be in accordance with plans by The Louis Berger Group, Inc. dated August 29, 2013 and received by the NH Department of Environmental Services (DES) on December 11, 2013.
- 2. No more than 14% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 77,500 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03315

PERKINS, ALAN/DONNA

NORTH HAMPTON Little River

Requested Action:

Impact 16,670 sq ft in order to replace septic system, complete general landscape activities, remove existing gravel driveway, and install a rubberized walkway.

APPROVE PERMIT:

Impact 16,670 sq ft in order to replace septic system, complete general landscape activities, remove existing gravel driveway, and install a rubberized walkway.

With Conditions:

1. All work shall be in accordance with plans by Civilworks Engineers & Surveyors dated November 21, 2013 and received by the

NH Department of Environmental Services (DES) on December 12, 2013.

- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 12.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

21

- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wg 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03319

CROCKETT, CHRISTINE

PORTSMOUTH Sagamore Creek

Requested Action:

Impact 9,000 in order to construct a driveway crossing a wetlands, and a new dwelling. ************

APPROVE PERMIT:

Impact 9,000 in order to construct a driveway crossing a wetlands, and a new dwelling.

With Conditions:

- 1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated December 5, 2013 and received by the NH Department of Environmental Services (DES) on December 12, 2013.
- 2. All impacts associated with the crossing of the wetlands must obtain a Wetland Permit under RSA 482-A.
- 3. No more than 13.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 2,800 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03322

ANDERSON, DONALD

LEE Wheelwright Pond

Requested Action:

Impact 12,968 sq ft in order to construct a new slab, footings and walls for basement, reconstruct retaining wall, replace septic system, and construct a garage with connection to the house.

APPROVE PERMIT:

Impact 12,968 sq ft in order to construct a new slab, footings and walls for basement, reconstruct retaining wall, replace septic system, and construct a garage with connection to the house.

22

With Conditions:

- 1. All work shall be in accordance with plans by MJS Engineering, PC dated December 9, 2013 and received by the NH Department of Environmental Services (DES) on December 12, 2013.
- 2. All actions associated with the replacement of the septic system are contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 28.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 2,366 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03344

WEATHERBIE, MATTHEW/SUSAN

CENTER HARBOR Squam Lake

Requested Action:

Impact 398 sq ft in order to construct a screen porch and install an infiltration drains.

APPROVE PERMIT:

Impact 398 sq ft in order to construct a screen porch and install an infiltration drains.

- 1. All work shall be in accordance with plans by NH Environmental Consultants LLC dated November 18, 2013 and received by the NH Department of Environmental Services (DES) on December 16, 2013.
- 2. No more than 10.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 9,386 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03374

LABRIE, EUGENE/JAMES

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Impact 10,760 sq ft in order to remove existing dwelling and out building; construct a dwelling, driveway, new Individual Sewage Disposal System and install a well.

23

APPROVE PERMIT:

Impact 10,760 sq ft in order to remove existing dwelling and out building; construct a dwelling, driveway, new Individual Sewage Disposal System and install a well.

With Conditions:

- 1. All work shall be in accordance with plans by David M. Dolan Associates, PC dated October 10, 2013 and received by the NH Department of Environmental Services (DES) on December 20, 2013.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 16.24% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03376

HOWARD, STEPHEN

NEWBURY Sunapee Lake

Requested Action:

Impact 1,491 sq ft in order to place fill for an expanded septic system.

APPROVE PERMIT:

Impact 1,491 sq ft in order to place fill for an expanded septic system.

- 1. All work shall be in accordance with plans by Pierre J. Bedard and Associates, PC dated November 14, 2013 and received by the NH Department of Environmental Services (DES) on December 20, 2013.
- 2. No more than 3.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 4,323 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the

site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.

24

- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03377

RENZI, CHRISTINE/PETER

HOLDERNESS Little Squam Lake

Requested Action:

Impact 10,500 sq ft in order to remove one of two existing structure, relocate the remaining structure, construct a second residence, expand driveway and install a new septic system.

APPROVE PERMIT:

Impact 10,500 sq ft in order to remove one of two existing structure, relocate the remaining structure, construct a second residence, expand driveway and install a new septic system.

With Conditions:

- 1. All work shall be in accordance with plans by Ames Associates dated October 30, 2013 and received by the NH Department of Environmental Services (DES) on December 20, 2013.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 18.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 4,956 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03382

NORTH MILL REALTY TRUST

PORTSMOUTH North Mill Pond

Requested Action:

Impact 5,700 sq ft in order to reuse and redevelop an existing building. ***********

APPROVE PERMIT:

Impact 5,700 sq ft in order to reuse and redevelop an existing building.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated December 18, 2013 and received by the NH Department of Environmental Services (DES) on December 23, 2013.

- 01/06/2014 to 01/12/2014
- 2. No more than 86.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2014-00026

PSNH

BELMONT Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00027

PSNH

BERLIN Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00028

PSNH

BETHLEHEM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-0002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00029

PSNH

BOW Unnamed Wetland

01/06/2014 to 01/12/2014

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00030

PSNH

BRENTWOOD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00031

PSNH

BRIDGEWATER Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00032

PSNH

BRISTOL Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00033

PSNH

BROOKLINE Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00034

PSNH

CAMPTON Unnamed Wetland

Conservation Commission/Staff Comments:

01/06/2014 to 01/12/2014

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00035

PSNH

CANDIA Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in the ROW.

2014-00050

PSNH

CANTERBURY Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

CONFIRM EMERGENCY AUTHORIZATION:

Vegetative maintenance of ROW.

2014-00051

PSNH

CHESTER Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of ROW.

2014-00052

PSNH

CLAREMONT Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of ROW.

2014-00065

PSNH

CONCORD Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00066

PSNH

CONWAY Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00067

PSNH

CROYDON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00068

PSNH

DALTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00069

PSNH

DANVILLE Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00070

PSNH

DEERFIELD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00071

PSNH

DEERING Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00072

PSNH

DERRY Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00075

PSNH

DOVER Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-000002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00076

PSNH

DUMMER Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00077

PSNH

DUNBARTON Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00078

PSNH

DURHAM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00079

PSNH

EAST KINGSTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00080

PSNH

EASTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00081

PSNH

EXETER Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00082

PSNH

FITZWILLIAM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.